


IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product	Independent SELV controlgear
Name and address of the applicant	Upowertek Co Ltd Room A105, #1213 Huoju South Road, Binjiang District Hangzhou, 310000 Zhejiang China
Name and address of the manufacturer	Upowertek Co Ltd Room A105, #1213 Huoju South Road, Binjiang District Hangzhou, 310000 Zhejiang China
Name and address of the factory	Hangzhou Youte Power Co Ltd Room 101 Building B,Zhongxing Building,No.1213, Huojunan Road,Binjiang District Hangzhou, 310000 ZHEJIANG China
Note: When more than one factory, please report on page 2	<input type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	Input: 220-277 V~, 50/60 Hz, $\lambda \geq 0.95$ ta= 40°C, tc= 90 °C, IP67 Output: (see test report further ratings), SELV
Trademark / Brand (if any)	
Type of Customer's Testing Facility (CTF) Stage used	
Model / Type Ref.	BLD-150-Cbbb-xyS-wwwwwww, BLD-120-Cbbb-xyS-wwwwwww, BLD-100-Cbbb-xyS-wwwwwww, BLD-096-Cbbb-xyS-wwwwwww, BLD-085-Cbbb-xyS-wwwwwww, BLD-075-Cbbb-xyS-wwwwwww, See Page 2
Additional information (if necessary may also be reported on page 2)	The report was revised to include administrative modifications <input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 61347-1:2015, IEC 61347-2-13:2014/AMD1:2016, IEC 61347-2-13:2014, IEC 62384:2006/AMD1:2009, IEC 62384:2006
As shown in the Test Report Ref. No. which forms part of this Certificate	4787603748.1-2 issued on 2019-11-13, 4787603748.2-2 issued on 2019-11-13

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2019-11-15

Original Issue Date: 2017-11-29

Signature:

Jan-Erik Storgaard

**Model Details:**

BLD-150-Cbbb-xyS-wwwwww;BLD-120-Cbbb-xyS-wwwwww;BLD-100-Cbbb-xyS-wwwwww;  
 BLD-096-Cbbb-xyS-wwwwww;BLD-085-Cbbb-xyS-wwwwww;BLD-075-Cbbb-xyS-wwwwww;  
 BLD-060-Cbbb-xyS-wwwwww;BLD-050-Cbbb-xyS-wwwwww;BLD-040-Cbbb-xyS-wwwwww;  
 BLD-030-Cbbb-xyS-wwwwww;BLD-150-Vbbb-xyS-wwwwww;BLD-120-Vbbb-xyS-wwwwww;  
 BLD-100-Vbbb-xyS-wwwwww;BLD-096-Vbbb-xyS-wwwwww;BLD-085-Vbbb-xyS-wwwwww;  
 BLD-075-Vbbb-xyS-wwwwww;BLD-060-Vbbb-xyS-wwwwww;BLD-050-Vbbb-xyS-wwwwww;  
 BLD-040-Vbbb-xyS-wwwwww;BLD-030-Vbbb-xyS-wwwwww;

**Model Description:**

Where "bbb"

BLD-150-Cbbb-xyS-wwwwww ("bbb" to be 140-830); BLD-120-Cbbb-xyS-wwwwww ("bbb" to be 110-800);  
 BLD-100-Cbbb-xyS-wwwwww ("bbb" to be 091-800); BLD-096-Cbbb-xyS-wwwwww ("bbb" to be 087-800);  
 BLD-085-Cbbb-xyS-wwwwww ("bbb" to be 077-710); BLD-075-Cbbb-xyS-wwwwww ("bbb" to be 068-620);  
 BLD-060-Cbbb-xyS-wwwwww ("bbb" to be 055-500); BLD-050-Cbbb-xyS-wwwwww ("bbb" to be 045-420);  
 BLD-040-Cbbb-xyS-wwwwww ("bbb" to be 036-330); BLD-030-Cbbb-xyS-wwwwww ("bbb" to be 027-250);

BLD-150-Vbbb-xyS-wwwwww ("bbb" to be 018-120); BLD-120-Vbbb-xyS-wwwwww ("bbb" to be 015-120);  
 BLD-100-Vbbb-xyS-wwwwww ("bbb" to be 012-120); BLD-096-Vbbb-xyS-wwwwww ("bbb" to be 012-120);  
 BLD-085-Vbbb-xyS-wwwwww ("bbb" to be 012-120); BLD-075-Vbbb-xyS-wwwwww ("bbb" to be 012-120);  
 BLD-060-Vbbb-xyS-wwwwww ("bbb" to be 012-120); BLD-050-Vbbb-xyS-wwwwww ("bbb" to be 012-120);  
 BLD-040-Vbbb-xyS-wwwwww ("bbb" to be 012-120); BLD-030-Vbbb-xyS-wwwwww ("bbb" to be 012-120);

Where "-wwwwww" can be any alphanumeric or blank for marketing purpose only.

Where "x" represents the dimming type as below, all dimming method can control the output current from 10% to 100% of rating.

N	Non-dimmable
D	0-10V Dimming
E	0-10V/PWM/time dimming with 12V aux
T	Time Dimming
A	DALI Dimming with 12V aux

Where "y" represents the programmability as below, all program method can control the output current from 10% to 100% of rating.

N	Non Programmable
R	NFC Programmable
C	Cable Programmable

**Additional Information:**

Additionally evaluated to EN 61347-2-13:2014/A1: 2017 and EN 61347-1:2015, EN 62384: 2006/A1:2009  
 National Differences specified in the CB Test Report.

The original report was modified to include the following changes/additions:

- Update Applicant, Manufacturer and Factory's information
- Change nomenclature of xyU to xyS of model names;
- Update marking plate
- Corrected the typo errors on the tables of Models

**Additional information (if necessary)**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2019-11-15  
 Original Issue Date: 2017-11-29

Signature:   
 Jan-Erik Storgaard